Journal of Internal Medicine 2002; **252**: 579–583

Author index

Aagaard, N.K., Andersen, H., Vilstrup, H., Clausen, T., Jakobsen, J. & Dørup, I. Muscle strength, Na,K-pumps, magnesium and potassium in patients with alcoholic liver cirrhosis – relation to spironolactone, 56
Adami, H.-O. *see* Kuper, H.
Adami, H-O. *see* Tamimi, R.M.
Adler, G. *see* Bode, G.
Ågren, B. *see* Henriksson, K.M.
Ahlbeck Glader, C., Slunga Birgrander, L., Stenlund, H. & Dahlén, G.H. Is lipoprotein(a) a predictor for survival in patients with established coronary artery disease? Results from a prospective patient cohort study in northern Sweden, 27
Ahrén on behalf of the Swedish Research Council Study Group of Endocrine Abdominal Tumours, B. *see* Bülow, B.
Ahrén, B. *see* Söderberg, S.
Ahrén, B. *see* Sjöberg, S.
Al-Khalili, F., Svane, B., Janszky, I., Rydén, L., Orth-Gomér, K. & Schenck-Gustafsson, K. Significant predictors of poor prognosis in women aged ≤ 65 years hospitalized for an acute coronary event, 561
Amino, N. *see* Izumi, Y.
Amir, A.R.A., Amr, S.S. & Sheikh, S.S. Kikuchi–Fujimoto's disease: report of familial occurrence in two human leucocyte antigen-identical non-twin sisters, 79
Amoriello, A. *see* Coppola, A.
Amr, S.S. *see* Amir, A.R.A.
Andersen, H. *see* Aagaard, N.K.
Andersen, H.R. *see* Terkelsen, C.J.
Andersson, C., Nilsson, A. & Bäckström, T. Atypical attack of acute intermittent porphyria – paresis but no abdominal pain, 265
Ankersen, J.P. *see* Terkelsen, C.J.
Antonelli Incalzi, R., Fuso, L., Serra, M., Basso, S., Carosella, L., Tramaglino, L.M., Pistelli, R. & Carbonin, P. Exacerbated chronic obstructive pulmonary disease: a frequently unrecognized condition, 48
Aoyama, T. *see* Haraki, T.
Apeland, T., Mansoor, M.A., Seljeflot, I., Brønstad, I., Gøransson, L. & Strandjord, R.E. Homocysteine, malondialdehyde and endothelial markers in dialysis patients during low-dose folinic acid therapy, 456
Ardizzone, S. & Bianchi Porro, G. Inflammatory bowel disease: new insights into pathogenesis and treatment, 475
Aromaa, A. *see* Reunanen, A.
Asplund, K. *see* Rodu, B.

Bacher, A.C. *see* Stewart, K.J.
Bäckström, T. *see* Andersson, C.
Basso, S. *see* Antonelli Incalzi, R.
Beck-Nielsen, H. *see* Eshoj, O.
Bellver, M. *see* Fernández-Guerrero, M.L.
Berglund, G. *see* Hedblad, B.
Berglund, G. *see* Nilsson, P.M.
Berstad, A. *see* Rystedt, E.
Bianchi Porro, G. *see* Ardizzone, S.
Björkhem, I. *see* Rystedt, E.
Björkhem, I. *see* Starck, L.
Blake, G.J. & Ridker, P.M. Inflammatory bio-markers and cardiovascular risk prediction, 283
Bode, G., Brenner, H., Adler, G. & Rothenbacher, D. Dyspeptic symptoms in middle-aged to old adults: the role of *Helicobacter pylori* infection, and various demographic and lifestyle factors, 41
Boffetta, P. *see* Kuper, H.
Bokemark, L. *see* Wendelhag, I.
Bolinder, J. *see* Sjöberg, S.
Boman, K. *see* Nilsson, J.B.
Borch-Johnsen, K. *see* Eshoj, O.
Brändle, M. *see* Wiesli, P.
Bratt, G. *see* Nyström, T.
Brenner, H. *see* Bode, G.
Brønstad, I. *see* Apeland, T.
Buchmann, M. *see* Rystedt, E.
Bülow, B. & Ahrén on behalf of the Swedish Research Council Study Group of Endocrine Abdominal Tumours, B. Adrenal incidentaloma – experience of a standardized diagnostic programme in the Swedish prospective study, 239

Caine, G.J. & Lip, G.Y.H. Dietary prevention of carcinogenesis in smokers, 577
Caminiti, M. *see* Faglia, E.
Caravaggi, C. *see* Faglia, E.
Carbone, A. *see* Mazziotti, G.
Carbonin, P. *see* Antonelli Incalzi, R.
Carella, C. *see* Mazziotti, G.
Carmona, E., Perez-Aguilar, F., Lopez, J.A., Ferrer-Calvete, J. & Sanchez-Cuenca, J.M. Anti-neutrophil-cytoplasmic autoantibodies (ANCA) in 105 patients (56 adults and 49 children) suffering from cystic fibrosis, attending a Spanish hospital, 281
Carosella, L. *see* Antonelli Incalzi, R.
Cerbone, A.M. *see* Coppola, A.
Chan, P. *see* Tsai, J.C.
Chen, Y.J. *see* Tsai, J.C.
Cheng, G. *see* Chow, K.M.
Chow, K.M., Wong, R.S.M. & Cheng, G. D-dimer test in deep vein thrombosis, 575
Christensen, C.S. *see* Larsen, T.B.
Christensen, P. *see* Holm, T.
Cieśliński, A. *see* Seniuk, W.
Cioffi, M. *see* Mazziotti, G.
Clausen, T. *see* Aagaard, N.K.
Clerici, G. *see* Faglia, E.
Coppola, A., De Stefano, V., Tufano, A., Nardone, G., Amoriello, A., Cerbone, A.M. & Di Minno, G. Long-lasting intestinal bleeding in an old patient with multiple mucosal vascular abnormalities and Glanzmann's thrombasthenia: 3-year pharmacological management, 271
Cort, N. *see* Haustein, K.-O.

Dahlén, G.H. *see* Ahlbeck Glader, C.
Dalgard, O. Reply to Mazziotti *et al.*, 379
Dalla Paola, L. *see* Faglia, E.
Damsgaard, E.M. *see* Foss, C.H.
De Cata, P. *see* Faglia, E.
De Giglio, R. *see* Faglia, E.
De Stefano, V. *see* Coppola, A.
DeRegis, J.R. *see* Stewart, K.J.
Deutschmann, H.A., Weger, M., Weger, W., Kotanko, P., Deutschmann, M.J. & Skrabal, F. Search for occult secondary osteoporosis: impact of identified possible risk factors on bone mineral density, 389
Deutschmann, M.J. *see* Deutschmann, H.A.
Di Minno, G. *see* Coppola, A.
Dinesen, B. *see* Söderberg, S.
Dørup, I. *see* Aagaard, N.K.
Duex, M. *see* Schneider, J.G.
Dugi, K.A. *see* Schneider, J.G.

© 2002 Blackwell Science Ltd

Efstathiou, S.P., Tsioulos, D.I., Zacharos, I.D., Tsiakou, A.G., Mitromaras, A.G., Mastorantonakis, S.E., Pefanis, A.V. & Mountokalakis, T.D. A new classification tool for clinical differentiation between haemorrhagic and ischaemic stroke, 121
Eggertsen, G. *see* Rystedt, E.
Eklund, A.G. *see* Sköld, C.M.
Eliasson, M. *see* Söderberg, S.
Engström, G. *see* Hedblad, B.
Ernst, E. Adulteration of Chinese herbal medicines with synthetic drugs: a systematic review, 107
Eshoj, O., Vaag, A., Borch-Johnsen, K., Feldt-Rasmussen, B. & Beck-Nielsen, H. Is low birth weight a risk factor for the development of diabetic nephropathy in patients with type 1 diabetes? A population-based case–control study, 524
Eynatten, M.V. *see* Schneider, J.G.

Fabris, F., Luzzatto, G., Soini, B., Ramon, R., Scandellari, R., Randi, M.L. & Girolami, A. Risk factors for thrombosis in patients with immune mediated heparin-induced thrombocytopenia, 149
Fagerberg, B. *see* Sigurdardottir, V.
Fagerberg, B. *see* Wendelhag, I.
Faglia, E., Mantero, M., Caminiti, M., Caravaggi, C., De Giglio, R., Pritelli, C., Clerici, G., Fratino, P., De Cata, P., Dalla Paola, L., Mariani, G., Poli, M., Settembrini, P.G., Sciangula, L., Morabito, A. & Graziani, L. Extensive use of peripheral angioplasty, particularly infrapopliteal, in the treatment of ischaemic diabetic foot ulcers: clinical results of a multicentric study of 221 consecutive diabetic subjects, 225
de Faire, U. *see* Leander, K.
de Faire, U. *see* Lichtenstein, P.
de Faire, U. *see* Zdravkovic, S.
Falk, G. *see* Leander, K.
Fauconneau, B. *see* Guillard, O.
Feldt-Rasmussen, B. *see* Eshoj, O.
Fernández-Guerrero, M.L., Herrero, L., Bellver, M., Gadea, I., Roblas, R.F. & De Górgolas, M. Nosocomial enterococcal endocarditis: a serious hazard for hospitalized patients with enterococcal bacteraemia, 510
Ferrer-Calvete, J. *see* Carmona, E.
Ficker, J.H. *see* Harsch, I.A.
Fiorentini, C. *see* Lucreziotti, S.
Floderus, B. *see* Lichtenstein, P.
Foroni, C. *see* Lucreziotti, S.
Forsberg, H. *see* Wisten, A.
Foss, C.H., Vestbo, E., Froland, A., Ingerslev, J., Gjessing, H.J., Mogensen, C.E. & Damsgaard, E.M. Insulin resistance is accompanied by increased von Willebrand factor levels in nondiabetic women: a study of offspring of type 2 diabetic subjects compared to offspring of nondiabetic subjects, 155
Fransson, S.G. *see* Järemo, P.
Fratino, P. *see* Faglia, E.
Froland, A. *see* Foss, C.H.
Frost, L., Johnsen, S.P., Pedersen, L., Toft, E., Husted, S. & Sørensen, H.T. Atrial fibrillation or flutter and stroke: a Danish population-based study of the effectiveness of oral anticoagulation in clinical practice, 64
Fuso, L. *see* Antonelli Incalzi, R.

Gadea, I. *see* Fernández-Guerrero, M.L.
Garland, C.F. *see* Grant, W.B.
Gerdes, J.C. *see* Terkelsen, C.J.
Girolami, A. *see* Fabris, F.
Gjessing, H.J. *see* Foss, C.H.
Göransson, L. *see* Apeland, T.
de Górgolas, M. *see* Fernández-Guerrero, M.L.
Grajek, S. *see* Seniuk, W.
Grant, W.B. & Garland, C.F. Evidence supporting the role of vitamin D in reducing the risk of cancer, 178
Graziani, L. *see* Faglia, E.
Grygier, M. *see* Seniuk, W.
Guillard, O., Piriou, A., Fauconneau, B., Mauco, G. & Mettey, R. Unexpected toxicity induced by magnesium orotate treatment in congenital hypomagnesemia, 88
Gullberg, B. *see* Henriksson, K.M.
Guller, V. *see* Tal, S.
Gurevich, A. *see* Tal, S.

Hahn, E.G. *see* Harsch, I.A.
Hallan, H. *see* Romundstad, S.
Hallqvist, J. *see* Leander, K.
Hamada, T. *see* Kihara, Y.
Hansson, L.-O. *see* Johansson, J.
Haraki, T., Takegoshi, T., Kitoh, C., Wakasugi, T., Saga, T., Hirai, J.-I., Aoyama, T., Inazu, A. & Mabuchi, H. Carotid artery intima-media thickness and brachial artery flow-mediated vasodilation in asymptomatic Japanese male subjects amongst apolipoprotein E phenotypes, 114
Harsch, I.A., Stocker, S., Radespiel-Tröger, M., Hahn, E.G., Konturek, P.C., Ficker, J.H. & Lohmann, T. Traffic hypoglycaemias and accidents in patients with diabetes mellitus treated with different antidiabetic regimens, 352
Hatakeyama, Y. *see* Kihara, Y.
Haustein, H. *see* Haustein, K.-O.
Haustein, K.-O., Krause, J., Haustein, H., Rasmussen, T. & Cort, N. Effects of cigarette smoking or nicotine replacement on cardiovascular risk factors and parameters of haemorheology, 130
Hedblad, B., Jonsson, S., Nilsson, P., Engström, G., Berglund, G. & Janzon, L. Obesity and myocardial infarction – vulnerability related to occupational level and marital status. A 23-year follow-up of an urban male Swedish population, 542
Hedblad, B. *see* Nilsson, P.M.
Hees, P.S. *see* Stewart, K.J.
Heickendorff, L. *see* Holm, T.
Henriksson, K.M., Lindblad, U., Gullberg, B., Ågren, B., Nilsson-Ehle, P. & Råstam, L. Development of hypertension over 6 years in a birth cohort of young middle-aged men: the Cardiovascular Risk Factor Study in southern Sweden (CRISS), 21
Henriques Normark, B. & Normark, S. Evolution and spread of antibiotic resistance, 91
Herrero, L. *see* Fernández-Guerrero, M.L.
Hidaka, Y. *see* Izumi, Y.
Hirai, J.-I. *see* Haraki, T.
Holm, T., Lassen, J.F., Husted, S.E., Christensen, P. & Heickendorff, L. A randomized controlled trial of shared care versus routine care for patients receiving oral anticoagulant therapy, 322
Holmen, J. *see* Romundstad, S.
Hori, H. *see* Kihara, Y.
Hovi, T. *see* Reunanen, A.
Hsieh, M.H. *see* Tsai, J.C.
Hultcrantz, R. *see* Olsson, M.
Hulthe, J. *see* Sigurdardottir, V.
Hulthe, J. *see* Wendelhag, I.
Husted, S. *see* Frost, L.
Husted, S.E. *see* Holm, T.

Inazu, A. *see* Haraki, T.
Ingerslev, J. *see* Foss, C.H.
Izumi, Y., Kaneko, A., Oku, K., Kimura, M., Tanaka, S., Tada, H., Tatsumi, K., Takano, T., Hidaka, Y. & Amino, N. Development of liver dysfunction after delivery is possibly due to postpartum autoimmune hepatitis. A report of three cases, 361

Jackson, S.H.D. *see* Mangoni, A.A.
Jakobsen, J. *see* Aagaard, N.K.
Jansson, J.-H. *see* Nilsson, J.B.
Janszky, I. *see* Al-Khalili, F.
Janzon, L. *see* Hedblad, B.
Järemo, P., Lindahl, T.L., Fransson, S.G. & Richter, A. Individual variations of platelet inhibition after loading doses of clopidogrel, 233
Jeng, C. *see* Tsai, J.C.
Jensen-Urstad, M. *see* Johansson, J.
Johansson, J., Viigimaa, M., Jensen-Urstad, M., Krakau, I. & Hansson, L.-O. Risk factors for coronary heart disease in 55- and 35-year-old men and women in Sweden and Estonia, 551
Johnsen, S.P. *see* Frost, L.
Jonsson, S. *see* Hedblad, B.

Kahan, T. *see* Malmqvist, K.
Kaneko, A. *see* Izumi, Y.
Kao, P.F. *see* Tsai, J.C.
Khavari, P.A., Rollman, O. & Vahlquist, A. Cutaneous gene transfer for skin and systemic diseases, 1
Kihara, Y., Hori, H., Murakami, H., Hatakeyama, Y., Yoshikawa, I., Hamada, T. & Otsuki, M. A case of POEMS syndrome associated with reactive amyloidosis and Waldenström's macroglobulinaemia, 255
Kimura, M. *see* Izumi, Y.
Kitoh, C. *see* Haraki, T.
Kleemola, M. *see* Reunanen, A.
Klein, W.W. *see* Zweiker, R.
Knekt, P. *see* Reunanen, A.
Konturek, P.C. *see* Harsch, I.A.
Kotanko, P. *see* Deutschmann, H.A.
Krakau, I. *see* Johansson, J.
Krantz, P. *see* Wisten, A.
Krause, J. *see* Haustein, K.-O.
Krüger, Ø. *see* Romundstad, S.
Kuper, H., Boffetta, P. & Adami, H.-O. Tobacco use and cancer causation: association by tumour type, 206
Kvenild, K. *see* Romundstad, S.

Lagiou, P. *see* Tamimi, R.M.
Larsen, F.F. *see* Sköld, C.M.
Larsen, T.B. & Laursen, B. D-dimer test in deep vein thrombosis – reply, 576
Larsen, T.B., Stoffersen, E., Christensen, C.S. & Laursen, B. Validity of D-dimer tests in the diagnosis of deep vein thrombosis: a prospective comparative study of three quantitative assays, 36
Lassen, J.F. *see* Holm, T.
Lassen, J.F. *see* Terkelsen, C.J.
Laursen, B. *see* Larsen, T.B.
Leander, K., Wiman, B., Hallqvist, J., Falk, G. & de Faire, U. The G-455A polymorphism of the fibrinogen Bβ-gene relates to plasma fibrinogen in male cases, but does not interact with environmental factors in causing myocardial infarction in either men or women, 332
Lehmann, R. *see* Wiesli, P.
Leino, A. *see* Reunanen, M.
Leinonen, A. *see* Reunanen, A.
Levi, S. *see* Tal, S.
Lichtenstein, P., de Faire, U., Floderus, B., Svartengren, M., Svedberg, P. & Pedersen, N.L. The Swedish Twin Registry: a unique resource for clinical, epidemiological and genetic studies, 184
Lind, L. *see* Malmqvist, K.
Lindahl, T.L. *see* Järemo, P.
Lindblad, U. *see* Henriksson, K.M.
Lindgärde, F. *see* Nilsson, P.M.
Lip, G.Y.H. *see* Caine, G.J.
Liu, J.C. *see* Tsai, J.C.
Ljunggren, Ö. *see* Ormarsdóttir, S.
Lohmann, T. *see* Harsch, I.A.
Lööf, L. *see* Ormarsdóttir, S.
Lopez, J.A. *see* Carmona, E.
Lövgren-Sandblom, A. *see* Starck, L.
Lucreziotti, S., Foroni, C. & Fiorentini, C. Perioperative myocardial infarction in noncardiac surgery: the diagnostic and prognostic role of cardiac troponins, 11
Luha, O. *see* Zweiker, R.
Luzzatto, G. *see* Fabris, F.

Mabuchi, H. *see* Haraki, T.
Mallmin, H. *see* Ormarsdóttir, S.
Malmqvist, K., Öhman, K.P., Lind, L., Nyström, F. & Kahan, T. Relationships between left ventricular mass and the renin–angiotensin system, catecholamines, insulin and leptin, 430
Mangoni, A.A., Sherwood, R.A., Swift, C.G. & Jackson, S.H.D. Folic acid enhances endothelial function and reduces blood pressure in smokers: a randomized controlled trial, 497
Mansoor, M.A. *see* Apeland, T.
Mantero, M. *see* Faglia, E.
Marenberg, M.E. *see* Zdravkovic, S.
Mariani, G. *see* Faglia, E.
Mastorantonakis, S.E. *see* Efstathiou, S.P.
Mauco, G. *see* Guillard, O.
Mazziotti, G., Sorvillo, F., Carbone, A., Cioffi, M., Morisco, F. & Carella, C. Is the IFN-alpha-related thyroid autoimmunity an immunologically heterogeneous disease?, 377
Messner, T. *see* Wisten, A.
Mettey, R. *see* Guillard, O.
Midthjell, K. *see* Romundstad, S.
Mitromaras, A.G. *see* Efstathiou, S.P.
Mogensen, C.E. *see* Foss, C.H.
Morabito, A. *see* Faglia, E.
Morisco, F. *see* Mazziotti, G.
Mountokalakis, T.D. *see* Efstathiou, S.P.
Mularek-Kubzdela, T. *see* Seniuk, W.
Murakami, H. *see* Kihara, Y.

Nardone, G. *see* Coppola, A.
Nasic, S. *see* Rodu, B.
Näslund, U. *see* Nilsson, J.B.
Nawroth, P.P. *see* Schneider, J.G.
Nielsen, T.T. *see* Terkelsen, C.J.
Nilsson, A. *see* Andersson, C.
Nilsson, J.-Å. *see* Nilsson, P.M.
Nilsson, J.B., Nilsson, T.K., Jansson, J.-H., Boman, K., Söderberg, S. & Näslund, U. The effect of streptokinase neutralizing antibodies on fibrinolytic activity and reperfusion following streptokinase treatment in acute myocardial infarction, 405
Nilsson, P. *see* Hedblad, B.
Nilsson, P.M., Nilsson, J.-Å., Hedblad, B., Berglund, G. & Lindgärde, F. The enigma of increased non-cancer mortality after weight loss in healthy men who are overweight or obese, 70
Nilsson, T.K. *see* Nilsson, J.B.
Nilsson-Ehle, P. *see* Henriksson, K.M.
Nørgaard, B.L. *see* Terkelsen, C.J.
Normark, S. *see* Henriques Normark, B.
Nyström, F. *see* Malmqvist, K.
Nyström, T., Bratt, G. & Sjöholm, Å. Bezafibrate-induced improvement in glucose uptake and endothelial function in protease inhibitor-associated insulin resistance, 570

Öhman, K.P. *see* Malmqvist, K.
Okada, K. *see* Takuma, T.
Oku, K. *see* Izumi, Y.

Olin, M. *see* Rystedt, E.
Olsson, M., Hultcrantz, R., Schulman, S. & Wallgren, E. Acquired platelet dysfunction may be an aetiologic factor in Heyde's syndrome – normalization of bleeding time after aortic valve replacement, 516
Olsson, R. *see* Ormarsdóttir, S.
Olsson, T. *see* Söderberg, S.
Ormarsdóttir, S., Ljunggren, Ö., Mallmin, H., Olsson, R., Prytz, H. & Lööf, L. Longitudinal bone loss in postmenopausal women with primary biliary cirrhosis and well-preserved liver function, 537
Orth-Gomér, K. *see* Al-Khalili, F.
Otsuki, M. *see* Kihara, Y.
Ouyang, P. *see* Stewart, K.J.

Pedersen, L. *see* Frost, L.
Pedersen, N.L. *see* Lichtenstein, P.
Pedersen, N.L. *see* Zdravkovic, S.
Pefanis, A.V. *see* Efstathiou, S.P.
Pehrsson, S.K. *see* Sköld, C.M.
Perez-Aguilar, F. *see* Carmona, E.
Piriou, A. *see* Guillard, O.
Pistelli, R. *see* Antonelli Incalzi, R.
Poli, M. *see* Faglia, E.
Pritelli, C. *see* Faglia, E.
Prytz, H. *see* Ormarsdóttir, S.

Radespiel-Tröger, M. *see* Harsch, I.A.
Ramon, R. *see* Fabris, F.
Randi, M.L. *see* Fabris, F.
Rasmussen, E. *see* Sköld, C.M.
Rasmussen, T. *see* Haustein, K.-O.
Råstam, L. *see* Henriksson, K.M.
Richter, A. *see* Järemo, P.
Ridker, P.M. *see* Blake, G.J.
Roblas, R.F. *see* Fernández-Guerrero, M.L.
Rodu, B., Stegmayr, B., Nasic, S. & Asplund, K. Impact of smokeless tobacco use on smoking in northern Sweden, 398
Reunanen, A., Roivainen, M., Kleemola, M., Saikku, P., Leinonen, M., Hovi, T., Knekt, P., Leino, A. & Aromaa, A. Enterovirus, mycoplasma and other infections as predictors for myocardial infarction, 421
Roivainen, M. *see* Reunanen, A.
Rollman, O. *see* Khavari, P.A.
Rømer, F. *see* Terkelsen, C.J.
Romundstad, S., Holmen, J., Hallan, H., Kvenild, K., Krüger, Ø. & Midthjell, K. Microalbuminuria, cardiovascular disease and risk factors in a nondiabetic/nonhypertensive population. The Nord-Trondelag Health Study (HUNT, 1995–97), Norway, 164
Rothenbacher, D. *see* Bode, G.
Rydén, L. *see* Al-Khalili, F.
Rystedt, E., Olin, M., Seyama, Y., Buchmann, M., Berstad, A., Eggertsen, G. & Björkhem, I. Cerebrotendinous xanthomatosis: molecular characterization of two Scandinavian sisters, 259

Saga, T. *see* Haraki, T.
Saikku, P. *see* Reunanen, A.
Sanchez-Cuenca, J.M. *see* Carmona, E.
Sawae, Y. *see* Takuma, T.
Scandellari, R. *see* Fabris, F.
Schenck-Gustafsson, K. *see* Al-Khalili, F.
Schmid, C. *see* Wiesli, P.
Schneider, J.G., Eynatten, M.V., Dugi, K.A., Duex, M. & Nawroth, P.P. Recurrent deep venous thrombosis caused by congenital interruption of the inferior vena cava and heterozygous factor V Leiden mutation, 276
Schulman, S. *see* Olsson, M.
Schwegler, B. *see* Wiesli, P.
Sciangula, L. *see* Faglia, E.
Seljeflot, I. *see* Apeland, T.
Seniuk, W., Mularek-Kubzdela, T., Grygier, M., Grajek, S. & Cieśliński, A. Cardiac arrest related to coronary spasm in patients with variant angina: a three-case study, 368
Serra, M. *see* Antonelli Incalzi, R.
Settembrini, P.G. *see* Faglia, E.
Seyama, Y. *see* Rystedt, E.
Sheikh, S.S. *see* Amir, A.R.A.
Sherwood, R.A. *see* Mangoni, A.A.
Sigurdardottir, V., Fagerberg, B. & Hulthe, J. Circulating oxidized low-density lipoprotein (LDL) is associated with risk factors of the metabolic syndrome and LDL size in clinically healthy 58-year-old men (AIR study), 440
Sjöberg, S., Ahrén, B. & Bolinder, J. Residual insulin secretion is not coupled to a maintained glucagon response to hypoglycaemia in long-term type 1 diabetes, 342
Sjöholm, Å. *see* Nyström, T.
Sköld, C.M., Larsen, F.F., Rasmussen, E., Pehrsson, S.K. & Eklund, A.G. Determination of cardiac involvement in sarcoidosis by magnetic resonance imaging and Doppler echocardiography, 465
Skrabal, F. *see* Deutschmann, H.A.
Slunga Birgrander, L. *see* Ahlbeck Glader, C.
Söderberg, S., Ahrén, B., Eliasson, M., Dinesen, B. & Olsson, T. The association between leptin and proinsulin is lost with central obesity, 140
Söderberg, S. *see* Nilsson, J.B.
Soini, B. *see* Fabris, F.
Sørensen, H.T. *see* Frost, L.
Sørensen, T.I.A. Contributions and potentials of Swedish twin research, 181
Sorvillo, F. *see* Mazziotti, G.
Spinas, G.A. *see* Wiesli, P.
Starck, L., Lövgren-Sandblom, A. & Björkhem, I. Cholesterol treatment forever? The first Scandinavian trial of cholesterol supplementation in the cholesterol-synthesis defect Smith–Lemli–Opitz syndrome, 314
Stegmayr, B. *see* Rodu, B.
Stenlund, H. *see* Ahlbeck Glader, C.
Stewart, K.J., DeRegis, J.R., Turner, K.L., Bacher, A.C., Sung, J., Hees, P.S., Tayback, M. & Ouyang, P. Fitness, fatness and activity as predictors of bone mineral density in older persons, 381
Stocker, S. *see* Harsch, I.A.
Stoffersen, E. *see* Larsen, T.B.
Strandjord, R.E. *see* Apeland, T.
Sung, J. *see* Stewart, K.J.
Svane, B. *see* Al-Khalili, F.
Svartengren, M. *see* Lichtenstein, P.
Svedberg, P. *see* Lichtenstein, P.
Swift, C.G. *see* Mangoni, A.A.

Tada, H. *see* Izumi, Y.
Takano, T. *see* Izumi, Y.
Takegoshi, T. *see* Haraki, T.
Takuma, T., Okada, K., Uchida, Y., Yamagata, A. & Sawae, Y. Invasive pulmonary aspergillosis resulting in respiratory failure during neutrophil recovery from postchemotherapy neutropenia in three patients with acute leukaemia, 173
Tal, S., Guller, V., Gurevich, A. & Levi, S. Fever of unknown origin in the elderly, 295
Tamimi, R.M., Lagiou, P., Adami, H-O. & Trichopoulos, D. Comments on 'Evidence supporting the role of vitamin D in reducing the risk of cancer', 179
Tanaka, S. *see* Izumi, Y.
Tatsumi, K. *see* Izumi, Y.
Tayback, M. *see* Stewart, K.J.

Terkelsen, C.J., Nørgaard, B.L., Lassen, J.F., Gerdes, J.C., Ankersen, J.P., Rømer, F., Nielsen, T.T. & Andersen, H.R. Telemedicine used for remote prehospital diagnosing in patients suspected of acute myocardial infarction, 412
Toft, E. *see* Frost, L.
Tramaglino, L.M. *see* Antonelli Incalzi, R.
Trichopoulos, D. *see* Tamimi, R.M.
Tsai, J.C., Chan, P., Wang, C.H., Jeng, C., Hsieh, M.H., Kao, P.F., Chen, Y.J. & Liu, J.C. The effects of exercise training on walking function and perception of health status in elderly patients with peripheral arterial occlusive disease, 448
Tsiakou, A.G. *see* Efstathiou, S.P.
Tsioulos, D.I. *see* Efstathiou, S.P.
Tufano, A. *see* Coppola, A.
Turner, K.L. *see* Stewart, K.J.

Uchida, Y. *see* Takuma, T.

Vaag, A. *see* Eshoj, O.
Vahlquist, A. *see* Khavari, P.A.
Vestbo, E. *see* Foss, C.H.
Viigimaa, M. *see* Johansson, J.
Vilstrup, H. *see* Aagaard, N.K.

Wakasugi, T. *see* Haraki, T.
Wallgren, E. *see* Olsson, M.
Wang, C.H. *see* Tsai, J.C.
Weger, M. *see* Deutschmann, H.A.
Weger, W. *see* Deutschmann, H.A.
Wendelhag, I., Fagerberg, B., Hulthe, J., Bokemark, L. & Wikstrand, J. Endothelium-dependent flow-mediated vasodilatation, insulin resistance and the metabolic syndrome in 60-year-old men, 305
Wienke, A. *see* Zdravkovic, S.
Wiesli, P., Brändle, M., Schwegler, B., Lehmann, R., Spinas, G.A. & Schmid, C. A plasma glucose concentration below 2.5 mmol L^{-1} is not an appropriate criterion to end the 72-h fast, 504
Wikstrand, J. *see* Wendelhag, I.
Wiman, B. *see* Leander, K.
Wisten, A., Forsberg, H., Krantz, P. & Messner, T. Sudden cardiac death in 15–35-year olds in Sweden during 1992–99, 529
Wong, R.S.M. *see* Chow, K.M.

Yamagata, A. *see* Takuma, T.
Yashin, A.I. *see* Zdravkovic, S.
Yoshikawa, I. *see* Kihara, Y.

Zacharos, I.D. *see* Efstathiou, S.P.
Zdravkovic, S., Wienke, A., Pedersen, N.L., Marenberg, M.E., Yashin, A.I. & de Faire, U. Heritability of death from coronary heart disease: a 36-year follow-up of 20 966 Swedish twins, 247
Zweiker, R., Luha, O. & Klein, W.W. Rescue percutaneous transluminal coronary angioplasty in a patient with a single coronary artery arising from the right Sinus Valsalvae: previously unreported scenario and review of literature, 84

Journal of Internal Medicine 2002; **252**: 584–585

Keyword index

abdominal obesity, 381
accidents, 352
acquired platelet dysfunction, 516
acute myocardial infarction, 84, 561
acute porphyria, 265
adrenal carcinoma, 239
adrenal inciden-taloma, 239
adrenaline, 342
adult height, 524
adulteration, 107
alcohol consumption, 21
ambulances, 412
angiodysplasia, 271
antibiotic resistance, 91
anticoagulant therapy, 322
anticoagulants, 64
anti-CYP2D6 antibodies, 361
aortic valve stenosis, 516
apolipoprotein E phenotype, 114
aspergillosis, 173
asymptomatic men, 114
atherosclerosis, 283
atrial fibrillation, 64
attack, 265

bacteraemia, 510
behaviour, 79, 84, 173
bezafibrate, 570
Bβ-gene G-455A polymorphism, 332
bile acids, 259
biliary, 537
blood lipids, 561
blood pressure, 164, 430, 497
body temperature, 79, 84, 173
bone density, 537
bone mineral density, 381, 389
brachial artery, 305
brachial flow-mediated dilation, 114

calcium channel blockers, 368
cancer, 206
carcinogenesis, 206
cardiac arrest, 368
cardiac risk stratification, 11
cardiac sarcoidosis, 465
cardiac troponins, 11
cardiovascular diseases, 164
cardiovascular risk factors, 130
carotid intima-media thickness, 114
catecholamines, 430
cell adhesion molecules, 283
central obesity, 140
Chinese medicine, 107
chlamydia, 421
cholesterol, 259, 551
cholesterol treatment, 314
chronic obstructive pulmonary disease, 48
cigarette smoking, 130
clinical guidelines, 389
clopidogrel, 233
cohort study, 542
compensation, 91
complementary and alternative medicine, 107
concordance, 247
coronary artery disease, 27
coronary disease, 421
Coronary heart disease, 247, 551
cost, 91
C-peptide excretion, 342
C-reactive protein, 283
Crohn's disease, 475
CYP27A1, 259

D-dimer, 36
deep ven thrombosis, 36
diabetes mellitus, 352, 561
diabetic foot ulcer, 225
diabetic nephropathy, 524
diagnosis, 36, 121
diagnostic accuracy, 36, 48
diastolic dysfunction, 465
diuretics, 56
dysgenesis, 276
dyspeptic symptoms, 41

ECG, 465
ejection fraction, 465
elderly, 295
electrocardiogram, 412
emergency department, 48
endothelial activation, 456
endothelial dysfunction, 570
endothelial function, 305
endothelium, 497
enterococcal endocarditis, 510
enterovirus, 421
epidemiology, 64, 70, 529
epidermolysis bullosa, 1
evolution, 79, 84, 91, 173
exercise training, 448

factor V Leiden mutation, 276
fatness, 381
fever of unknown origin, 295
fibrinogen, 155, 332
fibrinolysis, 405
fitness, 381
flow cytometer, 233
folate, 456
folic acid, 497
folinic acid, 456
frailty, 247
fungal, 173

gene therapy, 1
genodermatosis, 1
Glanzmann's trombasthenia, 271
glucagon, 342
glucose counter-regulation, 342

haemodialysis, 456
haemorrhagic stroke, 121
heart, 283
Helicobacter pylori, 41
heparin-induced thrombocytopenia, 149
herbal medicine, 107
heritability, 247
high normal blood pressure, 21
HIV-1 infection, 570
homocysteine, 456, 497
humans, 140
hyperaemia, 305
hyperinsulinaemia, 504
hypersecreting tumours, 239
hypertension, 21
hypoglycaemia, 352, 504

ichthyosis, 1
inferior vena cava, 276
inflammation, 283
infrapopliteal angioplasty, 225
insects, 79, 84, 173
insulin, 140, 430
insulin resistance, 140, 155, 570
insulin therapy, 352
insulinoma, 504
interaction, 332
intermittent claudication, 448
intestinal bleeding, 271
isovolumetric relaxation time, 465

K-ATPase, 56
Kikuchi–Fujimoto, 79

lactose malabsorption, 389
lathosterol, 314
left ventricular hypertrophy, 430
leptin, 140, 430
leukaemia, 173
lifestyle factors, 41
lipid and lipoprotein metabolism, 440
lipid peroxidation, 456
lipodystrophy syndrome, 570
lipoprotein(a), 27
liver cirrhosis, 56, 537
liver dysfunction, 361
longitudinal study, 421
low birth weight, 524
lung diseases, 173
lymph node, 79
lymphadenitis, 79
lymphoma, 79

magnetic resonance imaging, 465
major amputation, 225
marital status, 542
mechanisms, 91
men, 70, 440
metabolic syndrome, 440
microalbuminuria, 164
minor amputation, 225
mortality, 70, 542
mucosal vascular abnormalities, 271
mycoplasma, 421
myocardial infarction, 11, 332, 405, 412, 542

Na, 56
necrotizing lymphadenitis, 79
neutrophils, 173
nicotine replacement therapy, 130
noncardiac surgery, 11
nosocomial endocarditis, 510

© 2002 Blackwell Science Ltd

obesity, 70, 542
occult gastrointestinal bleeding, 516
octreotide, 271
oestrogen, 271
oestrogen replacement therapy, 537
offspring, 155
older adults, 41
orthopaedic surgery, 149
osteoporosis, 537
[^{3}H]ouabain binding sites, 56
overweight, 21
oxygen therapy, 48

pancreatic polypeptide, 342
paresis, 265
pathogenesis, 475
pathophysiology, 440
percutaneous coronary interventions, 233
percutaneous transluminal coronary angioplasty, 84
peripheral arterial occlusive disease, 225, 448
photo-sensitivity, 314
physical activity, 381
plasma fibrinogen, 130
plasma viscosity, 130
platelets, 233
POEMS syndrome, 255
polymorphism, 79, 84, 173
population, 440
postmenopausal, 537
postpartum autoimmune hepatitis, 361
preceding symptoms, 529
predictive factors, 149
pregnancy, 361
prehospital emergency care, 412
prevalence rates, 398
progesterone, 271
prognosis, 561
proinsulin, 140
prolonged fast, 504
prospective patient cohort studies, 27
prospective study, 36
P-selectin, 233

quality assurance, 322
quality of life, 448

randomized controlled trial, 322
reactive amyloidosis, 255
renal tubular acidosis, 389
renin–angiotensin–aldosterone system, 430
reperfusion, 405
reversion, 91
respiratory failure, 48
respiratory insufficiency, 173
risk, 107
risk factors, 164, 389, 421, 440

safety, 107
scoring system, 121
secondary osteoporosis, 389
sensitivity, 36
sex hormone, 265
shared care, 322
single coronary artery, 84
skin-fold, 70
Smith–Lemli–Opitz syndrome, 314
smokeless tobacco, 398
smoking, 206, 398, 497, 551
snus, 398
social, 70
specificity, 36
spironolactone, 56
stenting, 233
sterol 27-hydroxylase deficiency, 259
streptokinase, 405
streptokinase antibodies, 405
stroke, 64
sudden cardiac death, 529
sulphonylureas, 352
survival analyses, 27
systolic dysfunction, 465

tele-medicine, 412
temporal arteritis, 295
Tetrix subulata, 79, 84, 173
therapy, 271, 475
thermal sensitivity, 79, 84, 173
thrombolytic therapy, 412
thrombosis, 149
tobacco, 206
treadmill, 448
treatment, 265
tuberculosis, 295
twins, 247
type 1 diabetes, 524
type 2 diabetes, 155

ulcerative colitis, 475
ultrasonography, 36
ultrasound, 305
unstable angina pectoris, 561

variant angina pectoris, 368
vectorcardiography, 405
venous thrombosis, 276
von Willebrand factor, 155

Waldenström's macroglobulinaemia, 255
weight loss, 70
women, 561
wound healing, 1

young, 529